

Seamless Finish Polyaspartic Floor Coating For Retail Store Hospital Office

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-PLS1001
Minimum Order Quantity: 400KG

• Price: US\$10.5-16.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Item Descriptor: Concrete Epoxy FlakesDistinction: Quick Installation

Key Words: Interior And Exterior UseMaterials: 95% Solid Polyaspartic

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 1:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Seamless Finish Polyaspartic Floor Coating,

Polyaspartic Floor Coating For Retail Store



Product Description

Seamless Finish Polyaspartic Floor Coating For Retail Store Hospital Office

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic floor coating differentiates itself with its rapid installation and minimal downtime. With its efficient curing properties, this coating allows for quick turnaround times, reducing the disruption to daily operations. Whether it's a retail store, hospital, or office space, the fast application and drying time of polyaspartic floor coating ensure minimal downtime, allowing businesses to resume normal activities promptly. Additionally, its seamless and smooth finish provides an aesthetically pleasing surface that is easy to clean and maintain. By combining speed and quality, polyaspartic floor coating offers a practical solution for businesses seeking efficient flooring upgrades without sacrificing productivity.

Features Of Polyaspartic Floor Coating:

- 1. Against moisture and prevents damage
- 2. Seamless surface without joints or seams
- 3. Odorless, Low VOC, environmentally
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

la	Dalvasassia Dasis (A)	Handanan(D)
Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	200 cps	250 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D50-55	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China