

## High Gloss Polyaspartic Floor Coating For Residential Garage Commercial Kitchen

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 400KG
- Price: US\$10.5-16.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year

**CREKOAT**



### Product Specification

- Line Signature: Vinyl Flakes Garage Floor
- Element: Chemical Resistance
- Key Words: Interior And Exterior Use
- Materials: 95% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **High Gloss Polyaspartic Floor Coating, Commercial Polyaspartic Floor Coating, Kitchen Polyaspartic Floor Coating**

**CREKOAT**



## Product Description

### High Gloss Polyaspartic Floor Coating For Residential Garage Commercial Kitchen

#### Quick Details Of Polyaspartic Floor Coating:

Polyaspartic floor coating sets itself apart with its exceptional adhesion properties. Formulated with polyaspartic esters derived from polyurea chemistry, this coating forms a strong bond with various substrates, including concrete, wood, and existing coatings. Its superior adhesion ensures long-lasting durability and prevents delamination or peeling. Whether it's a residential garage, commercial kitchen, or industrial facility, polyaspartic floor coating adheres securely to the surface, even in high-traffic areas. This robust adhesion allows for a seamless and flawless finish, providing a reliable and visually appealing flooring solution that withstands the test of time and usage.

#### Features Of Polyaspartic Floor Coating:

1. Against moisture vapor, preventing damage
2. Customizable finishes, matte, satin, or glossy
3. Odorless, Low VOC, environmentally
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

#### Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

#### Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	200 cps	250 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D50-55	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China