

Low Odor Polyaspartic Floor Coating For Hospitals Residential Spaces

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 400KG
- Price: US\$10.5-16.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Trade Item Moniker: Flake System Floor
- Marking: VOC-Free Formulation
- Key Words: Interior And Exterior Use
- Materials: 95% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Low Odor Polyaspartic Floor Coating, Residential Polyaspartic Floor Coating**



Product Description

Low Odor Polyaspartic Floor Coating For Hospitals Or Residential Spaces

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic floor coating differentiates itself through its breathability and moisture resistance. Formulated with polyaspartic esters derived from polyurea chemistry, this coating allows the concrete substrate to breathe, preventing moisture buildup and potential issues like bubbling or delamination. It forms a protective barrier against moisture, preventing water intrusion and the growth of mold or mildew. Whether it's a basement, gymnasium, or outdoor patio, polyaspartic floor coating ensures a dry and healthy environment. Its unique ability to balance moisture resistance with breathability sets it apart as an ideal choice for spaces where moisture control is essential, providing long-lasting protection and peace of mind.

Features Of Polyaspartic Floor Coating:

1. Contains anti-microbial additives
2. Low odor, minimal odor during installation
3. Odorless, Low VOC, environmentally
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	200 cps	250 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D50-55	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China