Long Lasting Non Slip Epoxy Floor Coating Customizable Colors Textures

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-WZ3001
Minimum Order Quantity: 400KG

• Price: US\$3.5-5.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Article Designation: Non Slip Epoxy Floor
Attribute: Seamless Repairability
Key Words: Seamless, High Gloss Finish
Materials: Epoxy Resin And Hardener
Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 3:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

 Highlight: Long Lasting Non Slip Epoxy Floor Coating, Customizable Non Slip Epoxy Floor Coating



Product Description

Long-Lasting Non Slip Epoxy Floor Coating With Customizable Colors Textures

Quick Details Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coating sets a new standard in safety and performance. Its innovative formulation combines epoxy resins with cutting-edge additives to deliver unrivaled traction and grip. This advanced coating not only enhances slip resistance but also offers exceptional durability, resistance to chemicals, and easy maintenance. It finds applications in various industries, including manufacturing, healthcare, and hospitality. With its customizable colors, patterns, and textures, non-slip epoxy floor coating adds a touch of style to any space while ensuring a secure and reliable surface. Elevate safety standards and create a visually appealing environment with this state-of-the-art flooring solution.

Features Of Non Slip Epoxy Floor Coating:

- 1. Innovative technology for superior traction
- 2. Long-lasting anti-slip properties
- 3. Seamless application: creates a smooth finish
- 4. Easy to apply, effortless to clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Non Slip Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China