# **TDS Odorless Non Slip Epoxy Floor Coating Provides Pleasant Environment**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 400KG
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- 3-7 Working Days • Payment Terms: T/T, Western Union, MoneyGram

CHINA

CREKOAT

TDS, MSDS

CK-WZ3001

US\$3.5-5.5/Kg

1000000 Ton/Year

Bottle/Carton/Wooden Box

• Supply Ability:





# **Product Specification**

- Line Title:
- Prominent Attribute:
- . Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Anti Slip Epoxy Coating High Abrasion Tolerance
- Seamless, High Gloss Finish
- Epoxy Resin And Hardener
- Wood, Ceramic Tile, Concrete
- 3:1 By Weight
- 40 Minutes
- 12 Months
- Odorless Non Slip Epoxy Floor Coating, **TDS Non Slip Epoxy Floor Coating**

### CREKOAT



### **Product Description**

#### **Odorless Non Slip Epoxy Floor Coating Provides A Pleasant Environment**

#### Quick Details Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coating excels as a transformative solution for enhanced safety. Its unique composition, blending epoxy resins and specialized elements, ensures exceptional traction and stability. This advanced coating exhibits outstanding resistance to abrasion, chemicals, and moisture, making it an ideal choice for high-traffic environments. With its seamless application and customizable features, it caters to diverse spaces, including commercial establishments, industrial facilities, and residential areas. Elevate safety measures and elevate spaces with this innovative solution that sets new benchmarks for slip resistance and durability.

#### Features Of Non Slip Epoxy Floor Coating:

- 1. Odorless formulation provides a pleasant environment
- 2. Enhances visibility in low-light environments
- 3. Withstands high temperatures, heavy impacts
- 4. Easy to apply, effortless to clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

#### Advantages Of Non Slip Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

#### Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25ºC	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China