

Anti Corrosion Non Slip Epoxy Floor Coating VOC Compliant Low Volatile Organic

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-WZ3001
- Minimum Order Quantity: 400KG
- Price: US\$3.5-5.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Product Naming Schema: Grip Epoxy Paint
- Key Highlight: Rapid Curing Speed
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Anti Corrosion Non Slip Epoxy Floor Coating, Low Volatile Non Slip Epoxy Floor Coating**



Product Description

Anti-Corrosion Non Slip Epoxy Floor Coating VOC-Compliant Low Volatile Organic

Quick Details Of Non Slip Epoxy Floor Coating:

The revolutionary non-slip epoxy floor coating sets new benchmarks in safety with its cutting-edge formulation. Crafted by combining epoxy resins with specialized compounds, this coating assures unparalleled traction and stability across all surfaces. Its advanced design provides exceptional resistance against abrasion, chemicals, and moisture, making it an optimal choice for high-traffic zones. The seamless application process and customizable features cater to a wide array of environments, including commercial spaces, sports facilities, and healthcare settings. Boasting low maintenance needs and enduring performance, the non-slip epoxy floor coating ensures not only a secure underfoot experience but also elevates aesthetics with its long-lasting visual appeal.

Features Of Non Slip Epoxy Floor Coating:

1. VOC-compliant, low volatile organic compound
2. Protects against chemical and corrosive damage
3. Withstands high temperatures, heavy impacts
4. Easy to apply, effortless to clean and maintain
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

Advantages Of Non Slip Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China