

# Impact Resistance Non Slip Epoxy Floor Coating Creates High Gloss Finish

## **Basic Information**

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-WZ3001
Minimum Order Quantity: 400KG

• Price: US\$3.5-5.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



## **Product Specification**

Brand Identifier: Slip Resistant Epoxy Flooring
 Standout Factor: Enhanced UV Stability

Key Words: Seamless, High Gloss Finish
 Materials: Epoxy Resin And Hardener
 Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 3:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Impact Resistance Non Slip Epoxy Floor

Coating

, High Gloss Non Slip Epoxy Floor Coating

## CREKOAT



## **Product Description**

#### Impact Resistance Non Slip Epoxy Floor Coating Creates High-Gloss Finish

#### **Quick Details Of Non Slip Epoxy Floor Coating:**

Non-slip epoxy floor coating stands as a game-changer in safety solutions. This innovative coating surpasses expectations with its exceptional resistance to abrasion, chemicals, and moisture, making it ideal for demanding environments. Its versatile application spans across industries, from hospitality to manufacturing. With easy maintenance and long-lasting performance, non-slip epoxy floor coating offers a reliable and aesthetically pleasing solution. Experience peace of mind and create a secure environment that exceeds safety standards with this cutting-edge technology, setting new benchmarks for slip resistance and durability.

### Features Of Non Slip Epoxy Floor Coating:

- 1. High-gloss finish, sleek and polished appearance
- 2. Resists damage from heavy impacts and machinery
- 3. Withstands high temperatures, heavy impacts
- 4. Easy to apply, effortless to clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

#### **Advantages Of Non Slip Epoxy Floor Coating:**

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

#### **Product Descriptions Of Non Slip Epoxy Floor Coating:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China