



MSDS Eco - Friendly Water Based Epoxy Floor Coating For Residential

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-WB3001
- Minimum Order Quantity: 400KG
- Price: US\$3.5-5.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Labelled Product Title: Water Based Floor Paint
- Salient Quality: Low VOC Emissions
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Eco Friendly Water Based Epoxy Floor Coating, MSDS Water Based Epoxy Floor Coating**



Product Description

Eco-Friendly Water Based Epoxy Floor Coating For Residential Applications

Quick Details Of Water Based Epoxy Floor Coating:

Water Based Epoxy Floor Coating is an eco-friendly flooring solution that uses water as a diluent, eliminating harmful solvents. It provides durable protection against wear, corrosion, and chemical damage, making it suitable for various commercial and industrial settings. This coating is easy to apply, dries quickly, and exhibits excellent adhesion and longevity. It creates a smooth, seamless surface while offering slip resistance and easy maintenance. Water Based Epoxy Floor Coating is not only aesthetically pleasing but also environmentally friendly, making it an ideal choice for floor protection.

Features Of Water Based Epoxy Floor Coating:

1. Durable and long-lasting flooring solution
2. Provides a seamless and glossy finish
3. Quick and efficient installation process
4. Offers excellent adhesion to various surfaces
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Water Based Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China