

Low VOC Water Based Epoxy Floor Coating For Garage Floors

Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-WB3001 • Minimum Order Quantity: 400KG

• Price: US\$3.5-5.5/Kg

 Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

. Item Designation: Water Based Floor Coating Marking: **Enhanced Adhesion Strength** . Key Words: Seamless, High Gloss Finish Epoxy Resin And Hardener Materials: · Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 3:1 By Weight Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: Low VOC Water Based Epoxy Floor Coating, **Garage Water Based Epoxy Floor Coating**

CREKOAT



Product Description

Low VOC Water Based Epoxy Floor Coating Ideal Choice For Garage Floors

Quick Details Of Water Based Epoxy Floor Coating:

Water Based Epoxy Floor Coating sets itself apart with its rapid curing time, minimizing project delays and downtime. Within hours of application, the floor is ready for foot traffic, reducing disruptions to business operations. Its low odor formulation makes it suitable for sensitive environments like healthcare facilities and schools. This coating offers exceptional resistance to abrasion, chemicals, and moisture, making it an ideal choice for industrial facilities and garage floors. With its seamless and non-slip surface, which ensures safety while providing an attractive and long-lasting solution for both residential and commercial spaces.

Features Of Water Based Epoxy Floor Coating:

- 1. Provides a cost-effective flooring solution
- 2. Environmentally and low VOC emissions
- 3. Quick and efficient installation process
- 4. Offers excellent adhesion to various surfaces
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Water Based Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







+8615017402317

info@crekoat.com

epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China