

Seamless Anti Slip Waterborne Epoxy Floor Coating For Food Processing

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-WB3001
Minimum Order Quantity: 400KG

• Price: US\$3.5-5.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Merchandise Monogram: Water Based Garage Floor Paint
 Notable Property: Impact-Absorbing Capabilities
 Key Words: Seamless, High Gloss Finish
 Materials: Epoxy Resin And Hardener
 Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 3:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Anti Slip Waterborne Epoxy Floor Coating,
 Seamless Waterborne Epoxy Floor Coating

CREKOAT



Product Description

Anti-Slip Water Based Epoxy Floor Coating Suitable For Food Processing

Quick Details Of Water Based Epoxy Floor Coating:

Water Based Epoxy Floor Coating stands out for its exceptional versatility in temperature extremes. It thrives in both hot and cold environments, making it suitable for a wide range of applications, from commercial kitchens to freezer rooms. This coating's thermal stability prevents cracking or peeling, ensuring long-lasting performance. With its seamless and anti-slip surface, Water Based Epoxy Floor Coating provides enhanced safety in areas prone to moisture or temperature fluctuations. Experience the reliability of this coating, delivering superior protection and aesthetics, no matter the climate or environment.

Features Of Water Based Epoxy Floor Coating:

- 1. Resistance to impact and heavy foot traffic
- 2. Suitable for use in food processing facilities
- 3. Quick and efficient installation process
- 4. Offers excellent adhesion to various surfaces
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Water Based Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







+8615017402317

info@crekoat.com

epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China