# Low Maintenance Smooth Water Based Epoxy Floor Coating Resistance To **Moisture**

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 400KG
- Price:
- · Packaging Details:
- Delivery Time:
- 3-7 Working Days • Payment Terms: T/T, Western Union, MoneyGram

CHINA

CREKOAT

TDS, MSDS

CK-WB3001

US\$3.5-5.5/Kg

1000000 Ton/Year

Bottle/Carton/Wooden Box

• Supply Ability:



## **Product Specification**

- Line Representation:
- Identifying Aspect:
- . Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

Water Based Epoxy Paint For Concrete Low Maintenance Requirements Seamless, High Gloss Finish Epoxy Resin And Hardener Wood, Ceramic Tile, Concrete 3:1 By Weight 40 Minutes

12 Months

Moisture Resistance Water Based Epoxy Floor Coating , Smooth Water Based Epoxy Floor Coating

### CREKOAT



Our Product Introduction

#### Low Maintenance Water Based Epoxy Floor Coating Resistance To Moisture

#### **Quick Details Of Water Based Epoxy Floor Coating:**

Water Based Epoxy Floor Coating offers exceptional versatility with its ability to be applied to various substrates, including concrete, wood, and tiles. This adaptability makes it an ideal choice for renovation projects, where different surfaces require a cohesive and seamless flooring solution. Whether it's revitalizing an old concrete floor or transforming a wooden deck, this coating provides a durable and visually appealing finish. Its adhesion strength ensures long-lasting performance, while its customizable options allow for creative designs that suit any style or aesthetic.

#### Features Of Water Based Epoxy Floor Coating:

- 1. Provides a smooth and level surface
- 2. Excellent resistance to water and moisture
- 3. Quick and efficient installation process
- 4. Offers excellent adhesion to various surfaces
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

#### Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

#### Product Descriptions Of Water Based Epoxy Floor Coating:

ltem	Epoxy Resin(A)	Hardener(B)	
Appearance	Liquid	Liquid	
Color	Customized Colors	Transparent	
Density@25ºC	1.3g/cm3		
Mix Ratio	3:1 by weight		
Hardness	3Н		
Pot Life	30-40mins@25°C		
Curing Time	12-15hrs@35°C, 16-24hrs@25°C		
	24hrs, Dry Completely		
Thickness	1-3mm		
Recoat Time	2Hrs		
Shelf Life	12 M	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.		



**CREKOAT** Guangdong Crekoat New Materials Co., Ltd.

