

Non Slip water based floor coating For Workshops Warehouses

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-WB3001
Minimum Order Quantity: 400KG

• Price: US\$3.5-5.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year

CREKOAT



Product Specification

Labelled Brand: Best Water Based Epoxy
 Key Attribute: Anti-Static And Conductive
 Key Words: Seamless, High Gloss Finish
 Materials: Epoxy Resin And Hardener
 Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 3:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Non Slip Water Based Floor Coating,
 Water Based Floor Coating For Workshops

CREKOAT



Product Description

Non-Slip Water Based Epoxy Floor Coating Ideal For Workshops Warehouses

Quick Details Of Water Based Epoxy Floor Coating:

Water Based Epoxy Floor Coating takes customization to the next level with its ability to incorporate unique patterns and logos. By using stencils or graphic overlays, businesses can showcase their brand identity or create captivating visual effects. This coating allows for endless design possibilities, from vibrant colors and intricate designs to corporate logos and safety markings. Beyond its aesthetic appeal, which provides the same level of durability and protection as standard applications. Elevate your space with personalized flooring that not only leaves a lasting impression but also delivers exceptional performance and resilience.

Features Of Water Based Epoxy Floor Coating:

- 1. Provides a non-slip surface for increased safety
- 2. Ideal for use in garage floors, workshops
- 3. Excellent resistance to water and moisture
- 4. Offers excellent adhesion to various surfaces
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Water Based Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







+8615017402317

info@crekoat.com

epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China