

3mm Water Based Epoxy Floor Coating Low Maintenance Withstands Heavy

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 400KG
- Price:
- · Packaging Details:
- Delivery Time:
- Bottle/Carton/Wooden Box 3-7 Working Days

US\$3.5-5.5/Kg

CHINA

CREKOAT

TDS, MSDS

CK-WB3001

- Payment Terms:
 - T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Product Tagline:
- Notable Hallmark:
- Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Water Based Clear Epoxy
- High Tolerance To Heavy Traffic
- Seamless, High Gloss Finish
- Epoxy Resin And Hardener
- Wood, Ceramic Tile, Concrete
- 3:1 By Weight
- 40 Minutes
- 12 Months
 - 3mm Water Based Epoxy Floor Coating, Low Maintenance Water Based Epoxy Floor Coating

CREKOAT



Our Product Introduction

Commercial Water Based Epoxy Floor Coating Low-Maintenance Withstands Heavy Use

Quick Details Of Water Based Epoxy Floor Coating:

Water Based Epoxy Floor Coating sets itself apart with its exceptional resistance to high temperatures. It can withstand thermal fluctuations without compromising its integrity, making it suitable for areas exposed to heat sources like commercial kitchens and manufacturing plants. This coating's heat resistance prevents warping or discoloration, ensuring long-lasting performance even in demanding environments. Additionally, it provides a non-slip surface, enhancing safety in hot conditions, you can have peace of mind knowing your floor can withstand the heat while maintaining its durability, aesthetics, and functionality.

Features Of Water Based Epoxy Floor Coating:

- 1. Low-maintenance solution that withstands heavy use
- 2. Smooth and seamless surface that is easy to sanitize
- 3. Excellent resistance to water and moisture
- 4. Offers excellent adhesion to various surfaces
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Water Based Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space.

Product Descriptions Of Water Based Epoxy Floor Coating:

ltem	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25ºC	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3Н	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



CREKOAT Guangdong Crekoat New Materials Co., Ltd.

