

Water Based Epoxy Clear Coat Flake Floor Coating Withstand Daily Wear

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-FL2001
Minimum Order Quantity: 400KG

• Price: US\$4.0-6.0/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Line Moniker: Hardest Clear Epoxy Resin
 Notable Trait: High-Build Thickness
 Key Words: Interior And Exterior Use
 Materials: Epoxy With Flakes

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Water Based Epoxy Clear Coat,
 Flake Floor Epoxy Clear Coat

CREKOAT



Product Description

Water Based Epoxy Clear Coat Flake Floor Coating Withstand Daily Wear

Quick Details Of Epoxy Flake Floor Coating:

Epoxy Flake Floor Coating: A Masterpiece of Strength and Style. This innovative blend of epoxy resin and decorative flakes isn't just a floor; it's a statement of endurance and artistry. While its ability to withstand daily wear and tear is impressive, its creative potential is what truly sets it apart. A diverse palette of colors and flake patterns empowers you to design a floor that's an extension of your personality. From residential sanctuaries to vibrant commercial spaces, this coating transcends traditional flooring. It's not merely a surface; it's a canvas for self-expression. The seamless fusion of robustness and aesthetics creates a floor that harmonizes the practical with the poetic, turning each step into a testament to strength and elegance. Step into a world where floors don't just serve a function; they celebrate individuality and creativity.

Features Of Epoxy Flake Floor Coating:

- 1. Effectively prevents water damage
- 2. Resists fading and discoloration
- 3. Strong adhesion for lasting protection
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China