

# High Gloss Epoxy Deep Pour Resin Yellowing Or UV Resistance

## **Basic Information**

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
 Model Number: CK-ART1001
 Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



# **Product Specification**

• Trade Good Label: See Through Epoxy Resin

• Prominent Element: High Gloss

Key Words: Self Leveling, Self DegassingMaterials: Crystal Clear Epoxy Resin

• Mixing Ratio: 1:1 By Volume

• Application: Casting, Coating And Art

Pot Life: 40 MinutesShelf Life: 12 Months

Highlight: High Gloss Epoxy Deep Pour Resin,
 UV Resistance Epoxy Deep Pour Resin



## **Product Description**

#### High-Gloss Epoxy Deep Pour Resin UV Resistance Resists Yellowing Over Time

#### Quick Details Of Clear Epoxy Resin:

Clear Epoxy Resin: Elevate your creative projects with the brilliance of our Clear Epoxy Resin. Crafted for perfection, it transforms surfaces into captivating works of art. Whether you're a skilled artisan or a DIY enthusiast, this resin is your key to unlocking endless possibilities. What sets it apart? Its exceptional self-leveling properties guarantee a seamless, glass-like finish every time. The low odor ensures a comfortable working environment, and its UV resistance ensures your creations retain their vibrancy, even under the sun's rays. Fuel your imagination and turn your projects into stunning masterpieces with the clarity and durability of Clear Epoxy Resin. Embark on your creative journey today and witness your visions come to life.

#### Features Of Clear Epoxy Resin:

- 1. High-gloss, professional look
- 2. Resists yellowing over time
- 3. Free of solvents, VOC/BPA free
- 4. Highest UV protection, anti yellowing
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass

#### Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

#### **Product Descriptions Of Clear Epoxy Resin:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China