

Professional Liquid Clear Epoxy For Artists Craftsmen And DIY Enthusiasts

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Commodity Naming: Casting Resin Projects
Distinctive Attribute: Enhanced Strength
Key Words: Pouring Clear Epoxy
Materials: Crystal Clear Epoxy Resin

• Mixing Ratio: 1:1 By Volume

• Application: Casting, Coating And Art

Pot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Liquid Clear Epoxy For Artists Craftsmen,

Liquid Clear Epoxy For DIY Enthusiasts



Product Description

Professional Liquid Clear Epoxy For Artists Craftsmen And DIY Enthusiasts

Quick Details Of Clear Epoxy Resin:

Clear Epoxy Resin, a harmonious blend of epoxy and hardener components, stands out for its exceptional attributes. Its innate self-leveling ability ensures a flawless, glass-like finish, making it a top choice across various applications. Artists, craftsmen, and DIY enthusiasts cherish its transparency and adaptability, using it extensively in art, woodworking, and jewelry crafting. This versatile resin's knack for encapsulating objects adds depth and resilience to creations, resulting in enduring and visually stunning works. Whether you're a seasoned professional or an eager newcomer, Clear Epoxy Resin expands the horizons of creativity, imparting sophistication and longevity to your projects. Unleash your imagination with the confidence that this exceptional material brings.

Features Of Clear Epoxy Resin:

- 1. Adheres securely to diverse materials
- 2. Professional-grade epoxy solution
- 3. Free of solvents, VOC/BPA free
- 4. Highest UV protection, anti yellowing
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China