



Versatile Clear Epoxy Resin For Wood Achieves Premium Crystal Clear Finish

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-ART1001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Commodity Appellation: Clear Coat For Epoxy Resin
- Facet: Flexible Applications
- Key Words: Pouring Clear Epoxy
- Materials: 2 Part Clear Resin
- Application: Casting, Coating And Art
- Mixing Ratio: 1:1 By Volume
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Versatile Clear Epoxy Resin,
Clear Epoxy Resin Crystal Clear Finish



Product Description

Versatile Best Clear Epoxy For Wood Achieves A Premium Crystal-Clear Finish

Quick Details Of Clear Epoxy Resin:

Clear Epoxy Resin, renowned for its versatility, extends its utility to various applications. Artists and hobbyists appreciate its low shrinkage rate, which allows for casting large resin sculptures without deformities. Its high impact resistance also makes it valuable for creating resilient protective coatings on sports equipment, such as skateboards and snowboards.

Clear Epoxy Resin's non-toxic nature and food-safe certifications open doors to crafting custom kitchenware like crystal-clear resin bowls and cutting boards. Whether in electronics, art, or culinary endeavors, this resin empowers innovation and delivers superior results.

Features Of Clear Epoxy Resin:

1. Achieves a premium, crystal-clear finish
2. Versatile for diverse creative projects
3. Free of solvents, VOC/BPA free
4. Highest UV protection, anti yellowing
5. Durable, water-clear, high-gloss finish
6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China