

2 Part Ultra Clear Deep Pour Epoxy For Professional Artisans

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Product Signature: 2 Part Glass Epoxy
Particularity: Vibrant Colors
Key Words: Pouring Clear Epoxy
Materials: 2 Part Clear Resin
Application: Casting, Coating And Art

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Ultra Clear Deep Pour Epoxy, 2 Part Deep Pour Epoxy



Product Description

Ultra Clear Deep Pour Epoxy Preferred Choice For Professional Artisans

Quick Details Of Clear Epoxy Resin:

Clear Epoxy Resin's remarkable adaptability finds new horizons in various applications. Its exceptional heat resistance makes it an excellent choice for crafting decorative fireplace mantels and heat-resistant countertops, adding both style and functionality to interior spaces. Artists embrace its excellent color retention properties, allowing for the creation of vibrant, long-lasting resin art pieces that maintain their brilliance over time. Its self-leveling nature and high-gloss finish enhance the beauty of intricate wood inlays and tabletops. Clear Epoxy Resin's low odor and low volatile organic compound (VOC) content ensure a safe and comfortable working environment, making it ideal for crafting eco-friendly, sustainable furniture and decor. Whether in interior design, art, or sustainable living, this resin empowers creativity while promoting environmental consciousness.

Features Of Clear Epoxy Resin:

- 1. Adheres securely to a wide range of materials
- 2. Preferred choice for professional artisans
- 3. Free of solvents, VOC/BPA free
- 4. Highest UV protection, anti yellowing
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China