

Bubble Free Clear Epoxy Resin Seamlessly Blends Artistry With Utility

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-ART1001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Trade Goods Designation: Clear Epoxy Resin UV Resistant
- Specialty: Low Viscosity
- Key Words: Pouring Clear Epoxy
- Materials: 2 Part Clear Resin
- Application: Casting, Coating And Art
- Mixing Ratio: 1:1 By Volume
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Bubble Free Clear Epoxy Resin,
Clear Epoxy Resin Seamlessly Blends Artistry**



Product Description

Bubble-Free Clear Epoxy Price Seamlessly Blends Artistry With Utility

Quick Details Of Clear Epoxy Resin:

Clear Epoxy Resin boasts exceptional heat resistance, making it perfect for crafting heat-resistant kitchen backsplashes and decorative fireplace surrounds that add both style and functionality to interior spaces. Artists and craftsmen appreciate its low odor and low volatile organic compound (VOC) content, ensuring a comfortable and eco-friendly working environment. Its resistance to staining and easy-to-clean surface make it an excellent choice for creating epoxy resin countertops and bar tops in restaurants and bars, where hygiene and aesthetics are paramount. Whether in interior design, art, or hospitality, this resin empowers innovation while offering practical benefits.

Features Of Clear Epoxy Resin:

1. Seamlessly blends artistry with utility
2. Virtually bubble-free application
3. Free of solvents, VOC/BPA free
4. Highest UV protection, anti yellowing
5. Durable, water-clear, high-gloss finish
6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China