

Anti Corrosion Concrete Floor Paint With Flakes Guards Against Material Decay

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-FL2001
Minimum Order Quantity: 300KG

• Price: US\$4.0-6.0/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Trade Symbol: Epoxy Waterproofing Flake Coating

Paramount Attribute: Decorative Versatility
 Key Words: Interior And Exterior Use
 Materials: Epoxy With Flakes

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Anti Corrosion Concrete Floor Paint,

Concrete Floor Paint With Flakes Guards



Product Description

Anti-Corrosion Concrete Paint With Flakes Guards Against Material Decay

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is the epitome of durability with an artistic edge. It thrives under the most demanding conditions, resisting heavy use and chemical exposure. Yet, its true brilliance lies in its capacity for customization. With an extensive palette of colors and flake patterns, it becomes a canvas for personal expression. From homes to commercial spaces, it elevates aesthetics while maintaining resilience. Maintenance is a breeze with its easy-to-clean seamless surface. Versatile and suitable for various settings, from garages to showrooms, it offers both function and style. The coating's slip-resistant properties enhance safety, while its impermeable, seamless finish keeps moisture at bay. Epoxy flake floor coating transcends mere utility, creating an experience where strength and artistry coalesce in perfect harmony.

Features Of Epoxy Flake Floor Coating:

- 1. Efficiently transfers heat when needed
- 2. Guards against material decay
- 3. Strong adhesion for lasting protection
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China