

Aging Gracefully Epoxy Flake Floor Coating Maintains Aesthetic Appeal

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-FL2001
Minimum Order Quantity: 300KG

• Price: US\$4.0-6.0/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Item Moniker: Epoxy Glitter FlakesIntegral Facet: Non-Yellowing

Key Words: Self-Leveling, Fast Curing

Materials: Epoxy With Flakes

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Aging Gracefully Epoxy Flake Floor Coating,

Epoxy Flake Floor Coating Aesthetic



Product Description

Aging Gracefully Epoxy Flake Floor Coating Maintains Aesthetic Appeal

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coating epitomizes the fusion of strength and style. Beyond its exceptional durability, capable of withstanding heavy use and chemical exposure, it provides a canvas for individuality. A diverse palette of colors and flake patterns empowers you to craft floors that are unique expressions of personal style. Whether in garages, homes, or commercial spaces, it transcends function to become a form of art. Maintenance is a breeze, thanks to its easy-to-clean, seamless surface. Its slip-resistant properties enhance safety, and its impermeable, seamless finish keeps moisture at bay. Epoxy flake floor coating isn't just flooring; it's a statement that melds resilience with creative expression, where every step is a testament to both durability and artistry. Step into a new era where strength harmonizes with individuality.

Features Of Epoxy Flake Floor Coating:

- 1. Neutralizes unpleasant odors in spaces
- 2. Maintains aesthetic appeal as it ages
- 3. Strong adhesion for lasting protection
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China