

## Durable Thermal Expansion Tolerance Epoxy Flake Floor Coating Resists Temperature Changes


Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.0-6.0/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year

CREKOAT



### Product Specification

- Brand Emblem: Gray Epoxy Floor With Flakes
- Marked Characteristic: Superior Strength
- Key Words: Self-Leveling, Fast Curing
- Materials: Epoxy With Flakes
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Thermal Expansion Epoxy Flake Floor Coating, Durable Epoxy Flake Floor Coating**

CREKOAT



## Product Description

### Thermal Expansion Tolerance Epoxy Flake Floor Coating Resists Temperature Changes

#### Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coating marries strength and sophistication. Beyond its unparalleled durability, capable of withstanding heavy use and chemical exposure, it serves as a canvas for artistic expression. With an extensive array of colors and flake patterns, it transforms floors into personalized works of art. From garages to homes and commercial spaces, it transcends function to become a visual masterpiece. Maintenance is a breeze with its easy-to-clean seamless surface. Slip-resistant properties enhance safety, while the impermeable, seamless finish keeps moisture at bay. Epoxy flake floor coating is more than just flooring; it's a testament to the harmony between resilience and artistry, where every step taken is a celebration of both strength and style. Embrace an era where durability becomes a medium for creative self-expression.

#### Features Of Epoxy Flake Floor Coating:

1. Increases space illumination with reflective
2. Resists damage due to temperature changes
3. Strong adhesion for lasting protection
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

#### Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

#### Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150 mPa·s
Density, g/cm <sup>3</sup>	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



 +8615017402317  [info@crekoat.com](mailto:info@crekoat.com)  [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China