

Electrostatic Dissipation Epoxy Flake Floor Coating For Electronic Assembly Areas

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.0-6.0/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Trade Line Label: Red Flake Epoxy Floor
- Defining Hallmark: Anti-Yellowing
- Key Words: Self-Leveling, Fast Curing
- Materials: Epoxy With Flakes
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Electrostatic Dissipation Epoxy Flake Floor Coating**
, Epoxy Flake Floor Coating For Electronic Area



Product Description

Electrostatic Dissipation Epoxy Flake Floor Coating For Electronic Assembly Areas

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coating blends endurance with artistry. It excels in durability, capable of withstanding heavy traffic and chemical exposure. Yet, its true innovation lies in its creative freedom. With a diverse palette of colors and flake patterns, it transforms floors into personalized masterpieces. From garages to homes and commercial spaces, it transcends mere functionality to become an artistic statement. Maintenance is simple, thanks to its easy-to-clean, seamless surface. Its slip-resistant properties enhance safety, and its impermeable, seamless finish wards off moisture. Epoxy flake floor coating isn't just flooring; it's a canvas for resilience and creative expression, ushering in a new era where each step taken is a testament to both durability and style.

Features Of Epoxy Flake Floor Coating:

1. Prevents and conceals substrate cracks
2. Suitable for electronic assembly areas
3. Strong adhesion for lasting protection
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150 mPa.s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China