

Rapid Cure Epoxy Flake Floor Coating Minimizes Downtime During Installation

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.0-6.0/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year


CREKOAT



Product Specification

- Product Identifier Tag: Metallic Flake Epoxy Floor
- Outstanding Characteristic: Customizable Designs
- Key Words: Self-Leveling, Fast Curing
- Materials: Epoxy With Flakes
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Rapid Cure Epoxy Flake Floor Coating, Epoxy Flake Floor Coating Minimizes Downtime**

CREKOAT



Product Description

Rapid Cure Epoxy Flake Floor Coating Minimizes Downtime During Installation

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coating harmonizes strength with artistry. Beyond its formidable durability against heavy traffic and chemicals, it offers a realm of creative possibilities. A diverse palette of colors and flake patterns empowers unique, personalized floor designs. Whether in garages, homes, or commercial spaces, it surpasses mere function, becoming an artistic statement. Maintenance is effortless, thanks to its easy-to-clean seamless surface. Slip-resistant properties enhance safety, while the impermeable finish shields against moisture. Epoxy flake floor coating isn't just a floor covering; it's a canvas where every step becomes a celebration of both resilience and style, ushering in a new era where durability and personal expression unite seamlessly.

Features Of Epoxy Flake Floor Coating:

1. Minimizes downtime during installation
2. Suitable for secure biological environments
3. Strong adhesion for lasting protection
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150 mPa.s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China