

UV Stable Pouring Clear Epoxy High Flow Consistency For Molds

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-DP2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Kg/Year



Product Specification

Brand Signature Badge: Matte Clear EpoxyCrucial Aspect: Elastic Toughness

Key Words: Bubble Free, Crystal Clear
 Materials: Epoxy Resin And Hardener
 Application: Casting, Coating And Art

Mixing Ratio: 2:1 By WeightPot Life: 60 MinutesShelf Life: 12 Months

Highlight: UV Stable Pouring Clear Epoxy,
 High Flow Consistency Clear Epoxy



Product Description

UV-Stable Pouring Clear Epoxy High-Flow Consistency For Molds

Quick Details Of Liquid Casting Resin:

Liquid casting resin, an intricately synthesized compound resulting from the meticulous fusion of two distinct components in precise ratios, undergoes a chemical metamorphosis culminating in solidification during the curing process. Following a rigorous blending process, the compound is carefully poured into molds, initiating a gradual solidification over a meticulously designated timeframe. Recognized for its exceptional adaptability, this resin effortlessly integrates colorants, predominantly pigments or dyes, enabling subtle modifications in visual aesthetics and an extensive array of colors. As a versatile foundation, this material plays a pivotal role in diverse applications, facilitating the creation of a wide spectrum of items, prototypes, and specialized coatings indispensable in artisanal crafts, creative pursuits, and a myriad of industrial contexts.

Features Of Liquid Casting Resin:

- 1. Enhanced adhesion for mixed media
- 2. High-flow consistency for molds
- 3. Brings depth and dimension to your creations
- 4. UV resistant, highest yellowing resistance
- 5. Self-leveling & high glossy
- 6. Ideal for all casting and art projects

Advantages Of Liquid Casting Resin:

Liquid casting resin refers to a type of resin specifically formulated for casting or molding purposes. It is a two-part polymer that typically consists of a liquid resin and a hardener or catalyst. When these components are combined in the correct ratio and mixed thoroughly, a chemical reaction occurs, causing the mixture to cure and solidify into a durable and clear or translucent material.

Liquid casting resin is widely used in various applications such as crafting, art, jewelry making, model building, and creating prototypes. It is known for its ability to capture fine details, produce smooth surfaces, and create intricate shapes. This resin type is versatile and allows for the addition of colorants, pigments, dyes, and additives to achieve desired effects before pouring into molds or forms for casting.

Product Descriptions Of Liquid Casting Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	400-600 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	16-24hrs@35°C, 24-36hrs@25°C	
	48hrs, Dry Completely	
Max Pour Depth	5-10cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China