

## Low Toxicity Epoxy Clear Coat For Resin River Table Landscapes

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-DP2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Kg/Year



### Product Specification

- Item Brand Mark: Pour Clear Acrylic Table Top
- Primary Feature: Low VOC
- Key Words: Bubble Free, Crystal Clear
- Materials: Epoxy Resin And Hardener
- Application: Casting, Coating And Art
- Mixing Ratio: 2:1 By Weight
- Pot Life: 60 Minutes
- Shelf Life: 12 Months
- Highlight: Low Toxicity Epoxy Clear Coat,  
Epoxy Clear Coat For River Table,  
Low VOC Liquid Casting Resin



## Product Description

### Low Toxicity Epoxy Clear Coat For For Resin River Table Landscapes

#### Quick Details Of Liquid Casting Resin:

Liquid casting resin boasts an array of advantages that cater specifically to intricate projects, making it the preferred choice among artisans and manufacturers striving for excellence. Its low viscosity allows for effortless pouring into molds, ensuring intricate details are captured with unparalleled precision and clarity. The extended working time provided by liquid casting resin grants artisans the freedom to refine their designs meticulously, without the constraint of rapid curing, thus fostering creativity and allowing for meticulous attention to detail. Furthermore, its exceptional clarity is unparalleled, making it ideal for projects requiring transparency and a flawless finish, such as encapsulating delicate items or crafting jewelry pieces with stunning clarity. The versatility of liquid casting resin spans across a wide spectrum of creative applications, from delicate art pieces to robust industrial prototypes, accommodating diverse project requirements with ease. With minimal shrinkage upon curing and exceptional durability, liquid casting resin guarantees that the integrity and longevity of the final products remain uncompromised, solidifying its status as the ultimate medium for achieving perfection in artistic and manufacturing endeavors.

#### Features Of Liquid Casting Resin:

1. Resin formulated for resin river table landscapes
2. Specialty resin for resin coaster sets
3. Brings depth and dimension to your creations
4. UV resistant, highest yellowing resistance
5. Self-leveling & high gloss finish
6. Ideal for all casting and art projects

#### Advantages Of Liquid Casting Resin:

Liquid casting resin refers to a type of resin specifically formulated for casting or molding purposes. It is a two-part polymer that typically consists of a liquid resin and a hardener or catalyst. When these components are combined in the correct ratio and mixed thoroughly, a chemical reaction occurs, causing the mixture to cure and solidify into a durable and clear or translucent material.

Liquid casting resin is widely used in various applications such as crafting, art, jewelry making, model building, and creating prototypes. It is known for its ability to capture fine details, produce smooth surfaces, and create intricate shapes. This resin type is versatile and allows for the addition of colorants, pigments, dyes, and additives to achieve desired effects before pouring into molds or forms for casting.

#### Product Descriptions Of Liquid Casting Resin:

| Item           | Epoxy Resin(A)  | Hardener(B)   |
|----------------|---|---------------|
| Appearance     | Liquid  | Liquid        |
| Color          | Transparent   | Transparent   |
| Viscosity@25°C | 400-600 mPa·s   | 300-500 mPa·s |
| Density, g/cm3 | 1.07±0.05   | 0.95±0.03     |
| Mix Ratio      | 2:1 by weight   |               |
| Hardness       | Shore, D85-90   |               |
| Pot Life       | 50-60mins@25°C  |               |
| Curing Time    | 16-24hrs@35°C, 24-36hrs@25°C<br>48hrs, Dry Completely   |               |
| Max Pour Depth | 5-10cm max per single pour  |               |
| Shelf Life     | 12 Months   |               |
| Application    | Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables |               |





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China