# High Transparency Sanding Clear Epoxy For Resin Coaster Set **Production**

## **Basic Information**

. Place of Origin: DONGGUAN, CHINA

. Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-DP2001 Minimum Order Quantity: 500KG

• Price: US\$4.0-6.0/Kg

Bottle/Carton/Wooden Box Packaging Details:

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Kg/Year



# **Product Specification**

• Article Identity Emblem: Art Resin 8 Oz Vital Attribute: Easy Cleanup

. Key Words: Bubble Free, Crystal Clear Epoxy Resin And Hardener Materials: · Application: Casting, Coating And Art

Mixing Ratio: 2:1 By Weight Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: High Transparency Sanding Clear Epoxy, Sanding Clear Epoxy For Coaster Set

CREKOAT



## **Product Description**

#### High-Transparency Sanding Clear Epoxy For Resin Coaster Set Production

#### **Quick Details Of Liquid Casting Resin:**

Yes, liquid casting resin can be used for both clear and colored applications. One of the advantages of liquid casting resin is its versatility in accommodating various additives, including pigments and dyes. This allows artisans and manufacturers to customize the appearance of their projects according to their desired color palette and aesthetic preferences. Whether transparent, translucent, or opaque, liquid casting resin can be tailored to meet the specific requirements of the project, making it suitable for a wide range of applications in art, crafts, jewelry making, and industrial prototyping.

#### Features Of Liquid Casting Resin:

- 1. Fast-curing resin for resin coaster set production
- 2. High-transparency resin for resin stained glass effect
- 3. Brings depth and dimension to your creations
- 4. UV resistant, highest yellowing resistance
- 5. Self-leveling & high gloss finish
- 6. Ideal for all casting and art projects

#### **Advantages Of Liquid Casting Resin:**

Liquid casting resin refers to a type of resin specifically formulated for casting or molding purposes. It is a two-part polymer that typically consists of a liquid resin and a hardener or catalyst. When these components are combined in the correct ratio and mixed thoroughly, a chemical reaction occurs, causing the mixture to cure and solidify into a durable and clear or translucent material.

Liquid casting resin is widely used in various applications such as crafting, art, jewelry making, model building, and creating prototypes. It is known for its ability to capture fine details, produce smooth surfaces, and create intricate shapes. This resin type is versatile and allows for the addition of colorants, pigments, dyes, and additives to achieve desired effects before pouring into molds or forms for casting.

#### **Product Descriptions Of Liquid Casting Resin:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	400-600 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	16-24hrs@35°C, 24-36hrs@25°C	
	48hrs, Dry Completely	
Max Pour Depth	5-10cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China