

## Low Maintenance Epoxy Flooring For Industrial Use Provides Safety Durability

### Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

#### Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-SL5001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-4.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



#### Product Specification

- Trade Line Mark Emblem: Industrial Shop Floor Paint
- Dominant Characteristic: Low-Odor Application
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 5:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Industrial Use Low Maintenance Epoxy Flooring , Safety Low Maintenance Epoxy Flooring



## Product Description

### Low Maintenance Epoxy Flooring For Industrial Use Provides Safety Durability

#### Quick Details Of Industrial Epoxy Floor Coating:

Within the industrial sphere, epoxy floor coatings epitomize the pinnacle of ingenuity and resilience. These coatings are more than mere protectors; they are guardians, shielding floors from the onslaught of heavy machinery, chemical spills, and relentless wear. Yet, their appeal lies not just in their robustness but also in their ability to transform spaces with seamless surfaces and customizable designs. From expansive manufacturing plants to bustling warehouse corridors, epoxy coatings infuse environments with a sense of sophistication and durability. With their quick installation and low maintenance requirements, they redefine the standards of industrial flooring, symbolizing a harmonious blend of functionality and aesthetic excellence.

#### Features Of Industrial Epoxy Floor Coating:

1. Ensures hygiene in clinics, resisting waste
2. Provides safety, durability and low maintenance
3. Non-slip surface for enhanced safety
4. Easy to apply, clean and maintain surface
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

#### Advantages Of Industrial Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

#### Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China