Industrial Epoxy Flooring For Pharmaceutical Industry Tailored Thickness Options

Basic Information

Place of Origin: DONGGUAN, CHINA

Brand Name: CREKOAT
 Certification: TDS, MSDS
 Model Number: CK-SL5001
 Minimum Order Quantity: 500KG

• Price: US\$2.5-4.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Commodity Brand Seal: Industrial Epoxy Concrete Coatings
 Significant Feature: Waterproofing And Decorative Finish

Key Words: Seamless, High Gloss Finish
 Materials: Epoxy Resin And Hardener
 Application: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 5:1 By WeightPot Life: 30 MinutesShelf Life: 12 Months

• Highlight: Pharmaceutical Industrial Epoxy Flooring,

Tailored Thickness Options Industrial Epoxy

Flooring



Product Description

Industrial Epoxy Flooring For Pharmaceutical Industry Tailored Thickness Options

Quick Details Of Industrial Epoxy Floor Coating:

Within the intricate fabric of industries, industrial epoxy floor coatings serve as the unsung heroes, traversing manufacturing, warehousing, automotive, food processing, pharmaceuticals, healthcare, aerospace, and aviation sectors alike. Their resilience is unmatched, enduring heavy foot and vehicle traffic while defying chemicals, abrasion, and impact. From bolstering safety in bustling manufacturing plants to upholding stringent cleanliness standards in food processing facilities, epoxy coatings seamlessly conform to the distinct requirements of each industry. Their seamless application, aesthetic versatility, and enduring performance position them as indispensable elements for crafting durable, visually captivating, and functional flooring solutions tailored precisely to the diverse needs of each industrial sector, solidifying their status as pivotal contributors to the industrial landscape.

Features Of Industrial Epoxy Floor Coating:

- 1. Designed to contain hazardous chemicals
- 2. Accommodate hydronic heating systems
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China