High Gloss Industrial Epoxy Floor Coating Marble Effect For Residential

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 500KG
- Price:
- Packaging Details:
- Delivery Time: Payment Terms:
- ails: Bottle/Carton/Wooden Box 3-7 Working Days
 - T/T, Western Union, MoneyGram 1000000 Ton/Year

DONGGUAN, CHINA

CREKOAT

TDS, MSDS

CK-SL5001

US\$2.5-4.5/Kg

Supply Ability:



Product Specification

- Brand Logo Insignia:
- Remarkable Feature:
- Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Rubber Epoxy Coating Rapid Cure Technology
- Seamless, High Gloss Finish
- Epoxy Resin And Hardener
- Wood, Brick, Ceramic, Concrete
- 5:1 By Weight
- 30 Minutes
- 12 Months
- Marble Effect Industrial Epoxy Floor Coating, Residential Industrial Epoxy Floor Coating



Our Product Introduction

High Gloss Industrial Epoxy Floor Coating Marble Effect For Residential

Quick Details Of Industrial Epoxy Floor Coating:

In the rigorous realm of industrial flooring, industrial epoxy floor coatings emerge as champions of durability and resilience, excelling in both wear and chemical resistance. Their formidable formulation creates a robust surface that effortlessly withstands the rigors of heavy foot traffic, machinery loads, and mechanical abrasion, ensuring longevity and structural integrity. Moreover, these coatings boast exceptional resistance to a myriad of chemicals prevalent in industrial environments, including oils, solvents, acids, and alkalis, thereby fortifying against corrosion and substrate degradation. This unparalleled chemical resistance not only extends the lifespan of the flooring but also reduces maintenance requirements and associated costs. Industrial epoxy floor coatings epitomize reliability and endurance, offering steadfast protection and aesthetic sophistication amidst the demanding conditions of industrial settings.

Features Of Industrial Epoxy Floor Coating:

- 1. Providing luxury in residential or hospitality settings
- 2. Epoxy floors can replicate a high gloss marble effect
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25ºC	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China