



Decorative Versatility Best Garage Floor Coating Polyaspartic For Unique Designs

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 500KG
- Price: US\$8.5-12.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Trade Mark Badge: Polyaspartic Aliphatic Polyurea Coating
- Significant Element: Scratch Proof
- Key Words: Interior And Exterior Use
- Materials: 90% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Unique Design Polyaspartic Floor Coating, Garage Floor Coating Polyaspartic, Decorative Versatility Polyaspartic Floor Coating



Product Description

Decorative Versatility Best Garage Floor Coating Polyaspartic For Unique Designs

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic coatings are highly valued for their exceptional UV resistance and color retention, making them ideal for both indoor and outdoor applications. Unlike traditional epoxy coatings, polyaspartic coatings do not yellow or fade when exposed to sunlight, ensuring that their original color and gloss are maintained over time. This UV stability not only preserves the aesthetic appeal but also enhances the longevity of the coating, making it a preferred choice for areas like patios, garage floors, and commercial spaces. Additionally, polyaspartic coatings provide a durable finish that withstands harsh environmental conditions, ensuring long-term performance and visual integrity. These qualities make them a superior option for projects requiring both durability and lasting aesthetic quality.

Features Of Polyaspartic Floor Coating:

1. Minimal shrinkage, maintaining surface integrity
2. Enhances the floor's ability to bear heavy loads
3. Maintains clarity and appearance without yellowing
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China