

Transparent Polyaspartic Garage Coating Vibrant Color Adhesive To Concrete

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com


Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 500KG
- Price: US\$8.5-12.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Brand Logo Insignia: Polyaspartic On Top Of Epoxy
- Central Feature: Low Maintenance
- Key Words: Interior And Exterior Use
- Materials: 90% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Transparent Polyaspartic Garage Coating, Vibrant Color Polyaspartic Garage Coating, Concrete Polyaspartic Garage Coating**



Product Description

Transparent Polyaspartic Garage Coating Vibrant Color Adhesive To Concrete

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic coatings are renowned for their robust UV resistance and excellent color retention, which make them superior to traditional epoxy coatings. They are designed to resist UV-induced yellowing and fading, ensuring that surfaces maintain their vibrant color and gloss over extended periods of exposure to sunlight. This makes them particularly suitable for outdoor applications such as driveways, patios, and pool decks, where maintaining aesthetic appeal is crucial. Furthermore, polyaspartic coatings also prevent degradation and brittleness caused by UV exposure, thus enhancing the overall durability and lifespan of the coating. These features make polyaspartic coatings an excellent choice for projects demanding both aesthetic longevity and robust performance.

Features Of Polyaspartic Floor Coating:

1. Reduces vibrations, beneficial for sensitive equipment settings
2. Bonds well with concrete, preventing peeling and flaking
3. Maintains clarity and appearance without yellowing
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China