

Fast Installation Aspartic Floor Coating Resisting The Wear And UV Radiation

Basic Information

Place of Origin: DONGGUAN, CHINA

Brand Name: CREKOAT
 Certification: TDS, MSDS
 Model Number: CK-PLS1001
 Minimum Order Quantity: 500KG

• Price: US\$8.5-12.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

• Trade Mark Identifier: Polyaspartic Polyurea Garage Floor Coating

• Key Highlight: Eco-Conscious

Key Words: Interior And Exterior Use Materials: 90% Solid Polyaspartic

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 1:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

• Highlight: UV Radiation Resisting Aspartic Floor Coating,

Wear Resisting Aspartic Floor Coating, Fast Installation Aspartic Floor Coating



Product Description

Fast Installation Aspartic Floor Coating Resisting The Wear And UV Radiation

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic coatings offer unparalleled UV resistance and superior color retention, making them particularly suitable for environments with high sun exposure. Unlike traditional epoxy coatings, polyaspartic coatings do not suffer from yellowing or fading when subjected to prolonged UV light, ensuring that the surfaces remain vibrant and aesthetically pleasing over time. This makes them an ideal choice for applications such as outdoor patios, driveways, and pool decks. Additionally, polyaspartic coatings maintain their structural integrity and gloss, resisting the wear and tear caused by UV radiation. These qualities ensure that polyaspartic coatings not only enhance visual appeal but also provide long-lasting protection and durability, making them a robust solution for both decorative and high-traffic areas.

Features Of Polyaspartic Floor Coating:

- 1. Non-porous surface helps maintain high sanitary standards
- 2. Can be applied quickly, minimizing business disruption
- 3. Maintains clarity and appearance without yellowing
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25ºC	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China