Low Odor Polyaspartic Flake Floor Gloss Retention Maintains Glossy Finish Over Time

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 500KG
- Price:
- Packaging Details:
- Delivery Time: Payment Terms:
- 3-7 Working Days

US\$8.5-12.5/Kg

T/T, Western Union, MoneyGram

Bottle/Carton/Wooden Box

DONGGUAN, CHINA

CREKOAT

TDS, MSDS

CK-PLS1001

• Supply Ability: 1000000 Ton/Year

CREKOAT



Product Specification

- Item Brand Seal:
- Idiosyncratic Quality:
- Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Polyaspartic Pool Paint Microbe Resistant Interior And Exterior Use 90% Solid Polyaspartic
- Wood, Ceramic Tile, Concrete
- 1:1 By Weight
- 40 Minutes
- 12 Months
- Glossy Finish Polyaspartic Flake Floor Gloss, Polyaspartic Flake Floor Gloss, Low Odor Polyaspartic Flake Floor Gloss





Our Product Introduction

Low Odor Polyaspartic Flake Floor Gloss Retention Maintains Glossy Finish Over Time

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic coatings offer exceptional performance in UV resistance and color retention, significantly outperforming traditional epoxy coatings. They are specially engineered to resist the harmful effects of UV radiation, preventing yellowing and fading even after prolonged exposure. This characteristic ensures that surfaces maintain their original vibrant appearance, making them ideal for outdoor settings such as decks, driveways, and parking lots. Additionally, polyaspartic coatings provide a high-gloss finish that remains intact over time, resisting surface chalking and degradation caused by UV light. These features not only preserve the aesthetic appeal but also enhance the longevity and durability of the coated surfaces, making polyaspartic coatings a superior choice for areas with significant sun exposure.

Features Of Polyaspartic Floor Coating:

- 1. Maintains its glossy finish over time
- 2. Minimal smell during application
- 3. Maintains clarity and appearance without yellowing
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China