

High Transparency Polyaspartic Sealer Available In Clear Coatings For A **Natural Look**

Basic Information

. Place of Origin: DONGGUAN, CHINA

Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-PLS1001 • Minimum Order Quantity: 500KG

• Price: US\$8.5-12.5/Kg

Bottle/Carton/Wooden Box Packaging Details:

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

 Commodity Branding Polyaspartic Sealer Concrete

Stamp:

Principal Component: Anti-Slip

. Key Words: Interior And Exterior Use Materials: 90% Solid Polyaspartic Wood, Ceramic Tile, Concrete · Application:

. Mixing Ratio: 1:1 By Weight

Pot Life: 40 Minutes . Shelf Life: 12 Months

Highlight: Clear Coatings Polyaspartic Sealer,

High Transparency Polyaspartic Sealer



Product Description

High Transparency Polyaspartic Sealer Available In Clear Coatings For A Natural Look

Quick Details Of Polyaspartic Floor Coating:

Liquid casting resin is distinguished by its exceptional versatility, adeptly accommodating both clear and colored applications to fulfill the diverse demands of artists and manufacturers. Its inherent transparency makes it ideal for projects that require a crystal-clear finish, such as embedding delicate objects or creating sleek, elegant resin jewelry. Additionally, the resin's compatibility with a broad spectrum of pigments and dyes allows for a vast array of color possibilities, from subtle shades to intense, vibrant hues. This flexibility empowers creators to customize their designs with precision, achieving the exact aesthetic they envision. Whether aiming for the purity of transparency or the boldness of color, liquid casting resin provides the adaptability and control necessary to bring creative visions to life with exceptional clarity and vibrancy, making it a go-to material for innovative crafting and design projects.

Features Of Polyaspartic Floor Coating:

- 1. Available in clear coatings for a natural look
- 2. Maintains sharp, clean edges for detailed work
- 3. Maintains clarity and appearance without yellowing
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

	B B. : (A)	II I (D)
Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China