



Anti-Slip Polyaspartic Paint Heat Resistance With A Glossy Glass-Like Appearance

Our Product Introduction


Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 500KG
- Price: US\$8.5-12.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Line Emblem Badge: Pure Epoxy Polyaspartic
- Special Identifier: Chemical Stability
- Key Words: Interior And Exterior Use
- Materials: 90% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Anti-Slip Polyaspartic Paint,
Heat Resistance Polyaspartic Paint,
Glossy Polyaspartic Paint



Product Description

Anti-Slip Polyaspartic Paint Heat Resistance With A Glossy Glass-Like Appearance

Quick Details Of Polyaspartic Floor Coating:

Liquid casting resin stands out for its extraordinary flexibility, seamlessly accommodating both clear and colored applications to meet the varying needs of artists and manufacturers. Its natural transparency makes it ideal for projects that demand a pristine, see-through finish, such as embedding delicate items or crafting refined resin jewelry with a glossy, glass-like appearance. Furthermore, its compatibility with a wide range of pigments and dyes offers limitless color possibilities, from delicate pastels to bold, vivid tones. This versatility allows artisans to customize their creations with precision, tailoring the final look to their exact specifications. Whether striving for the understated elegance of transparency or the dramatic impact of vibrant colors, liquid casting resin provides the adaptability and sophistication required to bring a broad spectrum of creative ideas to life, cementing its status as a preferred medium for both artistic and industrial applications.

Features Of Polyaspartic Floor Coating:

1. Withstands high temperatures without degrading
2. Can be easily repaired if damaged, extending its lifespan
3. Maintains clarity and appearance without yellowing
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China