

UV Resistant Polyaspartic Floor Coating Maintains Clarity Without Yellowing

Basic Information

. Place of Origin: DONGGUAN, CHINA

Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-PLS1001 • Minimum Order Quantity: 500KG

• Price: US\$8.5-12.5/Kg

Bottle/Carton/Wooden Box Packaging Details:

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

• Product Tag: Polyaspartic Epoxy Floor

. Key Element: Fade Resistant

. Key Words: Interior And Exterior Use 90% Solid Polyaspartic · Materials: · Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 1:1 By Weight Pot Life: 40 Minutes

Shelf Life: 12 Months

• Highlight: Polyaspartic Floor Coating Without Yellowing,

UV Resistant Polyaspartic Floor Coating, **Clarity Polyaspartic Floor Coating**





Product Description

UV Resistant Polyaspartic Floor Coating Maintains Clarity Without Yellowing

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic coatings differentiate themselves through their exceptional resistance to harsh chemicals. They can withstand exposure to solvents, acids, alkalis, and other corrosive substances, making them ideal for industrial environments where chemical spills are common. Unlike other coatings, polyaspartic coatings offer rapid curing and a quick return-to-service time, allowing for minimal downtime. They also provide excellent UV resistance, preventing yellowing or fading when exposed to sunlight. Additionally, polyaspartic coatings exhibit superior adhesion to a variety of surfaces, including concrete and steel, ensuring long-lasting performance. With their chemical resistance, fast curing, UV protection, and strong adhesion, polyaspartic coatings are a top choice for demanding applications in commercial and industrial settings.

Features Of Polyaspartic Floor Coating:

- 1. 6x stronger than epoxy floor coatings
- 2. It won't change color in the sunlight
- 3. Maintains clarity and appearance without yellowing
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	30-40mins@25ºC	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China