

Non-Slip Pebble Stone Epoxy Decorative Flooring System For Driveways Pathways

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-JS1001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-4.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000 Ton/Month



Product Specification

- Autograph: Epoxy On Stone
- Remarkable Characteristic: Durability
- Key Words: Water Based Floor Coating
- Materials: 100% Solid Epoxy Resin
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Driveways Pebble Stone Epoxy, Non-Slip Pebble Stone Epoxy, Pathways Pebble Stone Epoxy



Product Description

Non-Slip Pebble Stone Epoxy Decorative Flooring System For Driveways Pathways

Quick Details Of Pebble Stone Epoxy:

Pebble stone epoxy is a decorative flooring system that incorporates small pebbles or stones within an epoxy resin, creating a visually appealing and durable surface. Known for its unique appearance, durability, low maintenance, non-slip properties, customization options, and relatively straightforward installation process, pebble stone epoxy floors offer a blend of aesthetics and practicality suitable for both residential and commercial spaces. Consulting with a professional flooring contractor is recommended to determine the feasibility and cost of implementing this flooring solution.

Features Of Pebble Stone Epoxy:

1. Durable and long-lasting finish
2. Slip-resistant surface for safety
3. Natural and visually appealing texture
4. Easy to clean and maintain
5. Resistant to stains and chemicals
6. Wide range of color options available

Advantages Of Pebble Stone Epoxy:

Pebble stone epoxy flooring offers a visually appealing and durable solution for residential and commercial spaces, combining aesthetic charm with strength. Its slip-resistant texture, low maintenance requirements, customization options, versatility for indoor and outdoor use, and resistance to chemicals make it a popular choice. With its unique blend of natural stones and epoxy resin, pebble stone epoxy provides a long-lasting, safe, and customizable flooring option suitable for a variety of applications.

Product Descriptions Of Pebble Stone Epoxy:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	3-5 mm / 5-10mm	
Shelf Life	12 Months	
Application	Ideal for driveways, pathways, patios, and pool surrounds. In commercial settings, it's used for car parks, shopping centers, and public spaces. It's also popular in landscaping, tree pits, and decorative borders. Its permeability suits sustainable urban drainage systems (SUDS), effectively managing surface water runoff.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China