

Custom Designs Resin Washed Pebble Stone Epoxy Slip Resistance And Easy Maintenance

Basic Information

. Place of Origin: DONGGUAN, CHINA

. Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-JS1001 • Minimum Order Quantity: 500KG

• Price: US\$2.5-4.5/Kg Packaging Details: Bottle/Carton/Pallet • Delivery Time: 3-7 Working Days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



Product Specification

Shelf Life:

• Inscription: **Epoxy Granite Flooring**

. Exceptional Trait: Quick Install **UV** Resistant . Key Words: Water Based Epoxy Materials: Wood, Tile, Concrete · Application: Mixing Ratio: 1:1 By Weight Pot Life: 40 Minutes

• Highlight: Slip Resistance Pebble Stone Epoxy, **Custom Pebble Stone Epoxy**

12 Months





Product Description

Custom Designs Resin Washed Stone Slip Resistance And Easy Maintenance

Quick Details Of Pebble Stone Epoxy:

Pebble stone epoxy flooring artfully merges the tranquility of nature with the durability of modern design, fusing serenity with strength. This unique flooring solution not only captures the essence of natural beauty but also embodies resilience and longevity. Offering customizable options for design and texture, each installation becomes a personalized masterpiece, reflecting individual style preferences. The meticulous process of embedding pebbles in epoxy resin results in a surface that not only radiates elegance but also provides practical benefits such as slip resistance and easy maintenance. Transform your space with the distinctive allure and enduring quality of pebble stone epoxy flooring.

Features Of Pebble Stone Epoxy:

- 1. Color-changing pebbles for dynamic looks
- 2. Aromatherapy-infused epoxy for scent
- 3. Natural and visually appealing texture
- 4. Easy to clean and maintain
- 5. Resistant to stains and chemicals
- 6. Wide range of color options available

Advantages Of Pebble Stone Epoxy:

Pebble stone epoxy flooring offers a visually appealing and durable solution for residential and commercial spaces, combining aesthetic charm with strength. Its slip-resistant texture, low maintenance requirements, customization options, versatility for indoor and outdoor use, and resistance to chemicals make it a popular choice. With its unique blend of natural stones and epoxy resin, pebble stone epoxy provides a long-lasting, safe, and customizable flooring option suitable for a variety of applications.

Product Descriptions Of Pebble Stone Epoxy:

Item	Epoxy Resin(A)	Hardener(B)
-	1 , , ,	. ,
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	3-5 mm / 5-10mm	
Shelf Life	12 Months	
Application	Ideal for driveways, pathways, patios, and pool surrounds. In commercial	
	settings, it's used for car parks, shopping centers, and public spaces. It's also	
	popular in landscaping, tree pits, and decorative borders. Its permeability suits	
	sustainable urban drainage systems (SUDS), effectively managing surface	
	water runoff.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China