

Outdoor Resin Washed Stone Water-Based Epoxy Floor Coating For Floor And Walls

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-JS1001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Merchandise Label: Marble Epoxy Coating
- Distinctive Trait: Innovative Textures
- Key Words: UV Resistant
- Materials: Water Based Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Walls Epoxy Floor Coating,
Water Based Epoxy Floor Coating,
Outdoor Epoxy Floor Coating



Product Description

Outdoor Resin Washed Stone Water-Based Epoxy Floor Coating For Floor And Walls

Quick Details Of Pebble Stone Epoxy:

Pebble stone epoxy flooring is a masterful blend of nature's allure and industrial strength, creating a distinctive harmony of elegance and resilience. By seamlessly integrating natural pebbles with durable epoxy resin, this flooring solution not only captures the essence of organic beauty but also ensures longevity and practicality. The customizable design options offer a canvas for personalized expressions, guaranteeing each installation is a unique work of art. With its slip-resistant surface and easy maintenance, pebble stone epoxy flooring stands out as a practical and visually striking choice for enhancing any space with a touch of natural charm and contemporary sophistication.

Features Of Pebble Stone Epoxy:

1. Heat-reactive color-changing pebbles
2. Anti-graffiti coating for easy cleanup
3. Natural and visually appealing texture
4. Easy to clean and maintain
5. Resistant to stains and chemicals
6. Wide range of color options available

Advantages Of Pebble Stone Epoxy:

Pebble stone epoxy flooring offers a visually appealing and durable solution for residential and commercial spaces, combining aesthetic charm with strength. Its slip-resistant texture, low maintenance requirements, customization options, versatility for indoor and outdoor use, and resistance to chemicals make it a popular choice. With its unique blend of natural stones and epoxy resin, pebble stone epoxy provides a long-lasting, safe, and customizable flooring option suitable for a variety of applications.

Product Descriptions Of Pebble Stone Epoxy:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	3-5 mm / 5-10mm	
Shelf Life	12 Months	
Application	Ideal for driveways, pathways, patios, and pool surrounds. In commercial settings, it's used for car parks, shopping centers, and public spaces. It's also popular in landscaping, tree pits, and decorative borders. Its permeability suits sustainable urban drainage systems (SUDS), effectively managing surface water runoff.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China