



## Permeable Surface Epoxy Stone Deck Coating Wide Range Of Colors And Aggregate

Our Product Introduction

### Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-JS1001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month

**CREKOAT**



### Product Specification

- Stock Naming: River Rock Epoxy Coating
- Distinct Element: Green Materials
- Key Words: UV Resistant
- Materials: Water Based Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Permeable Surface Epoxy Stone Deck Coating, Pebble Stone Epoxy UV Resistance**

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

## Product Description

### Permeable Surface Epoxy Stone Deck Coating Wide Range Of Colors And Aggregate

#### Quick Details Of Pebble Stone Epoxy:

Installing pebble stone epoxy flooring is a meticulous fusion of technical expertise and artistic flair. Starting with precise subfloor preparation, a specialized epoxy resin mixture is applied and leveled to create a flawlessly smooth surface. Natural pebbles are then meticulously arranged within the resin, offering a platform for intricate designs and personalized patterns that speak to individual preferences. Careful troweling ensures the pebbles are securely embedded, promising both durability and visual allure. Once the curing process is complete, the floor is polished to enhance the inherent beauty of the stones and sealed for enduring protection. This detailed installation method seamlessly integrates creative expression with practical resilience, resulting in a captivating floor that seamlessly blends organic charm with contemporary sophistication and lasting elegance.

#### Features Of Pebble Stone Epoxy:

1. Permeable surface for efficient water drainage
2. Wide range of colors and aggregate options
3. Natural and visually appealing texture
4. Easy to clean and maintain
5. Resistant to stains and chemicals
6. Wide range of color options available

#### Advantages Of Pebble Stone Epoxy:

Pebble stone epoxy flooring offers a visually appealing and durable solution for residential and commercial spaces, combining aesthetic charm with strength. Its slip-resistant texture, low maintenance requirements, customization options, versatility for indoor and outdoor use, and resistance to chemicals make it a popular choice. With its unique blend of natural stones and epoxy resin, pebble stone epoxy provides a long-lasting, safe, and customizable flooring option suitable for a variety of applications.

#### Product Descriptions Of Pebble Stone Epoxy:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	3-5 mm / 5-10mm	
Shelf Life	12 Months	
Application	Ideal for driveways, pathways, patios, and pool surrounds. In commercial settings, it's used for car parks, shopping centers, and public spaces. It's also popular in landscaping, tree pits, and decorative borders. Its permeability suits sustainable urban drainage systems (SUDS), effectively managing surface water runoff.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China