

Seamless Smooth Finish Metallic Epoxy Floor Coating Create Unique Marbled **Effect**

Basic Information

. Place of Origin: DONGGUAN, CHINA

. Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-MTL2001 • Minimum Order Quantity: 500KG

• Price: US\$3.2-4.5/Kg Bottle/Carton/Pallet Packaging Details: • Delivery Time: 3-7 Working Days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



Product Specification

Shelf Life:

• Product Title: Mica Epoxy Floor

· Atypical Quality: Seamless

. Key Words: High-Gloss Finish Materials: 100% Solids Epoxy Wood, Tile, Concrete · Application: Mixing Ratio: 2:1 By Weight Pot Life: 40 Minutes

12 Months • Highlight: Seamless Metallic Epoxy Floor Coating, **Smooth Finish Metallic Epoxy Floor Coating**

CREKOAT



Product Description

Seamless Smooth Finish Metallic Epoxy Floor Coating Create A Unique Marbled Effect

Quick Details Of Metallic Epoxy Floor Coating:

When considering flooring options, there are distinct differences between traditional epoxy flooring and metallic epoxy flooring. Traditional epoxy floors typically present a single color or speckled pattern, while metallic epoxy floors create a unique marbled effect with a metallic shine by mixing metallic pigments into transparent epoxy resin and manipulating the flow of pigments during application. Traditional epoxy flooring excels in durability and customization, whereas metallic epoxy stands out for its artistic design possibilities, albeit at a higher cost, making it a favored choice among those seeking visually striking and personalized flooring solutions.

Features Of Metallic Epoxy Floor Coating:

- 1. Durable and long-lasting
- 2. Seamless and smooth finish
- 3. Customizable colors and patterns
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

| la | Farmi Dania/A) | Handanar(D) |
|----------------|--|---------------|
| Item | Epoxy Resin(A) | Hardener(B) |
| Appearance | Liquid | Liquid |
| Color | Transparent | Transparent |
| Viscosity@25°C | 700-900 mPa⋅s | 300-500 mPa⋅s |
| Density, g/cm3 | 1.05±0.05 | 0.95±0.03 |
| Mix Ratio | 2:1 by weight | |
| Hardness | Shore, D80-85 | |
| Pot Life | 30-40mins@25°C | |
| Curing Time | 6-8hrs@35°C, 10-15hrs@25°C | |
| | 24hrs, Dry Completely | |
| Recoat Time | 2Hrs | |
| Thickness | 1-3 mm | |
| Shelf Life | 12 Months | |
| Application | Industrial Use - Garages, Warehouses, Airports and hangars. Commercial | |
| | Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, | |
| | Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - | |
| | Entrances and hallways, basements, entertainment rooms, bathrooms, | |
| | kitchens and living rooms. | |







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China