

High Gloss Metallic Epoxy Floor Coating Enhances Lighting In Space

Basic Information

Place of Origin: DONGGUAN, CHINA

Brand Name: CREKOAT
 Certification: TDS, MSDS
 Model Number: CK-MTL2001
 Minimum Order Quantity: 500KG

Price: US\$3.2-4.5/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Merchandise Tag: Metallic Pearl Epoxy Floor

• Exceptional Facet: Waterproof

Key Words: High-Gloss Finish
Materials: 100% Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 2:1 By Weight

Pot Life: 40 MinutesShelf Life: 12 Months

• Highlight: High Gloss Metallic Epoxy Floor Coating,

Metallic Epoxy Floor Coating, High Gloss Epoxy Floor Coating



Product Description

High Gloss Metallic Epoxy Floor Coating Enhances Lighting In The Space

Quick Details Of Metallic Epoxy Floor Coating:

In the realm of flooring options, traditional epoxy flooring and metallic epoxy flooring diverge significantly in both aesthetics and functionality. Traditional epoxy floors typically feature solid colors or speckled patterns, offering a clean and uniform look. On the other hand, metallic epoxy floors create a visually stunning marbled effect with a glossy finish, achieved by blending metallic pigments into clear epoxy resin and manipulating them during application to produce unique patterns and depth. While traditional epoxy flooring is known for its durability and versatility, metallic epoxy flooring stands out for its artistic flair and customization possibilities, making it a premium choice for those looking to make a bold design statement in their spaces.

Features Of Metallic Epoxy Floor Coating:

- 1. Resistant to stains and abrasions
- 2. Enhances lighting in the space
- 3. Customizable colors and patterns
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China