



High Reflectivity Silver Metallic Epoxy Mirror-Like Finish Fast Cure Time For Minimal Downtime

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Merchandise Identifier: Metallic Epoxy Floor Finish
- Singular Trait: Chemical-Resistant Coating
- Key Words: High-Gloss Finish
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **High Reflectivity Metallic Epoxy Floor Coating, Fast Cure Metallic Epoxy Floor Coating**



Product Description

High Reflectivity Silver Metallic Epoxy Mirror-Like Finish Fast Cure Time For Minimal Downtime

Quick Details Of Metallic Epoxy Floor Coating:

The appeal of metallic epoxy flooring stems from its robust epoxy resin mixture, protective sealers, strong adhesion to surfaces, and resistance to chemicals and stains. These qualities create a long-lasting flooring solution ideal for residential and commercial spaces, blending durability with aesthetic allure. Accurate installation and regular maintenance are crucial in prolonging the lifespan of metallic epoxy floors, providing a reliable choice for those looking to combine endurance with visual sophistication in their indoor areas.

Features Of Metallic Epoxy Floor Coating:

1. Fast cure time for minimal downtime
2. High reflectivity for a mirror-like finish
3. Customizable colors and patterns
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China