


Unique Aesthetic Residential Metallic Epoxy Floor Coating Resistant To Fading From UV Exposure

Our Product Introduction

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Goods Designation: Metallic Epoxy Floor Covering
- Special Feature: Effortless Cleaning
- Key Words: High-Gloss Finish
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Residential Metallic Epoxy Floor Coating,
Unique Aesthetic Metallic Epoxy Floor Coating,
UV Resistant Metallic Epoxy Floor Coating**



Product Description

Unique Aesthetic Residential Metallic Epoxy Floor Resistant To Fading From UV Exposure

Quick Details Of Metallic Epoxy Floor Coating:

The durability of metallic epoxy flooring stems from its robust epoxy resin composition, protective sealers, excellent adhesion to substrates, and resistance to chemicals and stains. These characteristics ensure a long-lasting flooring solution ideal for both residential and commercial settings, combining durability with an aesthetic allure. Proper installation and upkeep contribute to the longevity of metallic epoxy floors, offering a reliable choice for those desiring a blend of endurance and visual sophistication in their indoor spaces.

Features Of Metallic Epoxy Floor Coating:

1. Resistant to fading from UV exposure
2. Metallic swirls and marbling effects
3. Customizable colors and patterns
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China