


Non-Toxic Pure Metallic Epoxy Floor Coating Of Gloss Or Matte Finishes

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Inventory Name: Metallic Concrete Coatings
- Exclusive Element: Slip Resistance
- Key Words: High-Gloss Finish
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Pure Metallic Epoxy Floor Coating,
Matte Metallic Epoxy Floor Coating,
Gloss Metallic Epoxy Floor Coating**



Product Description

Non-Toxic Pure Metallic Epoxy Floor Coating Of Gloss Or Matte Finishes

Quick Details Of Metallic Epoxy Floor Coating:

The magnetism of metallic epoxy flooring originates from its robust epoxy resin blend, protective sealants, strong surface adhesion, and resistance to chemicals and imperfections. These characteristics converge to form a resilient flooring choice suitable for residential and commercial use, blending strength with visual allure. Accurate installation and regular maintenance are key in extending the lifespan of metallic epoxy floors, providing a trustworthy option for those aiming to integrate enduring durability with sophisticated aesthetics in their indoor environments.

Features Of Metallic Epoxy Floor Coating:

1. Customizable levels of gloss or matte finishes
2. Non-toxic and safe for indoor air quality
3. Customizable colors and patterns
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa.s	300-500 mPa.s
Density, g/cm3	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China