

# Reflective Metallic Mica Epoxy Floor Coating Customizable Depth And 3D Effects

## **Basic Information**

Place of Origin: DONGGUAN, CHINA

Brand Name: CREKOAT
 Certification: TDS, MSDS
 Model Number: CK-MTL2001
 Minimum Order Quantity: 500KG

Price: US\$3.2-4.5/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



## **Product Specification**

 Ware Appellation: Metallic Cement Floor
 Unprecedented Robust Endurance Characteristic:

Key Words: High-Gloss Finish
Materials: 100% Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 2:1 By Weight
Pot Life: 40 Minutes
Shelf Life: 12 Months

• Highlight: Customizable Depth Metallic Epoxy Floor

Coating

, 3D Effects Metallic Epoxy Floor Coating, Reflective Metallic Epoxy Floor Coating



## **Product Description**

#### Reflective Metallic Mica Epoxy Floor Customizable Depth And 3D Effects

#### **Quick Details Of Metallic Epoxy Floor Coating:**

The fascination with metallic epoxy flooring springs from its robust epoxy resin mixture, shielding sealants, exceptional surface adhesion, and durability against chemicals and flaws. These elements coalesce to forge a lasting flooring alternative suitable for both residential and commercial use, blending resilience with aesthetic allure. Precise installation and consistent upkeep play critical roles in elongating the lifespan of metallic epoxy floors, offering a reliable selection for individuals seeking to fuse enduring endurance with refined elegance in their indoor spaces.

### Features Of Metallic Epoxy Floor Coating:

- 1. Reflective metallic pigments for increased light dispersion
- 2. Customizable depth and 3D effects
- 3. Customizable colors and patterns
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

#### **Advantages Of Metallic Epoxy Floor Coating:**

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

#### **Product Descriptions Of Metallic Epoxy Floor Coating:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	700-900 mPa·s	300-500 mPa⋅s
Density, g/cm3	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China