



Slip Resistance Metallic Silver Epoxy Long-Lasting Flooring For Residential And Commercial

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: DONGGUAN, CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Brand Name: Metallic Black Epoxy Floor
- Divergent Highlight: Waterproof Shield
- Key Words: High-Gloss Finish
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Slip Resistance Metallic Epoxy Floor Coating, Residential Metallic Epoxy Floor Coating**

CREKOAT



Product Description

Slip Resistance Metallic Silver Epoxy Long-Lasting Flooring For Residential And Commercial

Quick Details Of Metallic Epoxy Floor Coating:

The allure of metallic epoxy flooring springs from its robust epoxy resin mix, shielding sealants, excellent surface adhesion, and resilience against chemicals and flaws. These elements combine to form a long-lasting flooring option suitable for residential and commercial use, merging strength with visual charm. Precise installation and consistent maintenance are essential in prolonging the lifespan of metallic epoxy floors, providing a reliable option for individuals seeking to integrate enduring durability with refined aesthetics in their indoor spaces.

Features Of Metallic Epoxy Floor Coating:

1. Embedding of logos or designs within the floor
2. Variable slip resistance levels for safety
3. Customizable colors and patterns
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.05±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China