

# **Anti-Microbial Polyaspartic Floor Coating For Hygiene-Sensitive Environments**

# **Basic Information**

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-PLS1001 • Minimum Order Quantity: 500KG

• Price: US\$8.5-12.5/Kg Packaging Details: Bottle/Carton/Pallet • Delivery Time: 3-7 Working Days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



# **Product Specification**

Product Trademark: Polyaspartic Concrete Coating

 Notable Characteristic: **Enhanced Adhesion** . Key Words: Interior And Exterior Use Materials: 90% Solid Polyaspartic · Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 1:1 By Weight Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: Anti-Microbial Polyaspartic Floor Coating,

Hygiene-Sensitive Environments Polyaspartic

Floor Coating

, Hygiene-Sensitive Environments Floor Coating





# **Product Description**

#### Anti-Microbial Polyaspartic Floor Coating For Hygiene-Sensitive Environments

#### **Quick Details Of Polyaspartic Floor Coating:**

Polyaspartic coatings epitomize a dynamic solution that seamlessly adapts to both indoor and outdoor environments, distinguished by their exceptional durability, rapid curing times, and resistance to UV exposure. Whether fortifying industrial floors against heavy traffic or rejuvenating outdoor spaces like patios and driveways, these coatings excel in providing long-lasting protection and aesthetic enhancement across a diverse array of applications. From bustling commercial settings to tranquil outdoor oases, polyaspartic coatings offer a resilient finish customized to meet the unique challenges presented by various surroundings, ensuring durability and visual appeal in every project.

# Features Of Polyaspartic Floor Coating:

- 1. Anti-microbial properties for hygiene-sensitive environments
- 2. High moisture tolerance, allowing application on fresh concrete
- 3. Superior gloss retention over time for a lasting aesthetic appeal
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

#### **Advantages Of Polyaspartic Floor Coating:**

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

#### **Product Descriptions Of Polyaspartic Floor Coating:**

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 cps	50-150 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D75-80	
Pot Life	40-50mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China