



Self-Leveling Industrial Epoxy Floor Coating Customizable For Specific Needs

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-SL5001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-3.8/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Inventory Seal: Industrial Garage Floor Epoxy
- Uncommon Element: Anti-Cracking Formulation
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 5:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Customizable Industrial Epoxy Floor Coating,
Specific Needs Industrial Epoxy Floor Coating,
Self Leveling Industrial Epoxy Floor Coating



Product Description

Self-Leveling Industrial Epoxy Floor Coating Customizable For Specific Needs

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings, infused with groundbreaking components such as ceramic microspheres or conductive additives, elevate slip resistance by fostering a unique, multi-dimensional grip surface. This innovative composition not only enhances safety, particularly in challenging wet conditions but also introduces a new level of versatility. Maintaining regular maintenance and precise application methods is essential to uphold the integrity and efficacy of these advanced slip-resistant characteristics.

Features Of Industrial Epoxy Floor Coating:

1. Cost-effective long-term solution
2. High light reflectivity improves visibility
3. Non-slip surface for enhanced safety
4. Easy to apply, clean and maintain surface
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. Resistant to abrasion, chemicals, and moisture, it's perfect for high-traffic areas in commercial, industrial, and residential spaces. Customizable in colors and patterns for a decorative touch, it's easy to maintain without harsh chemicals. Slip-resistant for safety, it suits various substrates like concrete, wood, and metal, offering versatility. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China